ELSEVIER

Developmental Brain Research 119 (2000) 321–322

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Adamson, S.L., see Krunic, N. (119) 11
Åkesson, E., Kjældgaard, A., Samuelsson, E.-B., Seiger, Å. and Sundström, E.
Ionotropic glutamate receptor expression in human spinal cord during first trimester development (119) 55
Archer, T., see Fredriksson, A. (119) 65

Bain, J.L.W., see Huckstorf, B.L. (119) 169
Ban, Y., Wilt, S.D. and Rizzolo, L.J.
Two secreted retinal factors regulate different stages of development of the outer blood–retinal barrier (119) 259
Bauduin, B., Lassalle, B. and Boilly, B.
Stimulation of axon growth from the spinal cord by a regenerating limb blastema in newts (119) 47
Bialos, M., see Gulledge, C.C. (119) 269
Billett, T.E., see Nikolic, P. (119) 75
Blumchen, T., see Nico, B. (119) 231
Bock, N., see Moll, G.H. (119) 251
Boilly, B., see Bauduin, B. (119) 47
Bridges, R.S., see Gulledge, C.C. (119) 269
Bulleit, R.F. and Hsieh, T.
MEK inhibitors block BDNF-dependent and -independent expression of $GABA_A$ receptor subunit mRNAs in cultured mouse cerebellar granule neurons (119) 1
Burgunder, J.-M., see Lin, S. (119) 289

Carbone, K.M., see Pletnikov, M.V. (119) 179
Chan, W.Y., see Tiu, S.C. (119) 159
Chaudhuri, A., see Kogan, C.S. (119) 85
Chen, S., see Lin, X. (119) 297
Coceani, F., see Krunic, N. (119) 11
Collins, R.L., Zavala, A.R., Nazarian, A. and McDougall, S.A.
κ-Opioid receptors in the substantia nigra pars reticulata mediate the U-50,488-induced locomotor activity of preweanling rats (119) 97

D'Aniello, B., see Pinelli, C. (119) 195
Davis, A.M., Penschuck, S., Fritschy, J.-M. and McCarthy, M.M.
Developmental switch in the expression of $GABA_A$ receptor subunits α_1 and α_2 in the hypothalamus and limbic system of the rat (119) 127
Defazio, G., see Nico, B. (119) 231

Eriksson, P., see Fredriksson, A. (119) 65
Erzurumlu, R.S., see Günhan-Agar, E. (119) 277

Fiorentino, M., see Pinelli, C. (119) 195
Fitch, C.A., see Levenson, C.W. (119) 105
Fredriksson, A., Schröder, N., Eriksson, P., Izquierdo, I. and Archer, T.
Maze learning and motor activity deficits in adult mice induced by iron exposure during a critical postnatal period (119) 65
Fritschy, J.-M., see Davis, A.M. (119) 127

García-Arrarás, J.E., see Medina-Ortiz, W.E. (119) 155
Gilmore, J.H., see Jarskog, L.F. (119) 225
Giorelli, M., see Nico, B. (119) 231
Gulledge, C.C., Mann, P.E., Bridges, R.S., Bialos, M. and Hammer Jr., R.P.
Expression of μ-opioid receptor mRNA in the medial preoptic area of juvenile rats (119) 269
Günhan-Agar, E., Haeberle, A. and Erzurumlu, R.S.
Directional specificity and patterning of sensory axons in trigeminal ganglion–whisker pad cocultures (119) 277

Haeberle, A., see Günhan-Agar, E. (119) 277
Hammer Jr., R.P., see Gulledge, C.C. (119) 269
Heizmann, C.W., see Tiu, S.C. (119) 159
Herken, R., see Nico, B. (119) 231
Horn, G., see Prime, G. (119) 111
Hsieh, T., see Bulleit, R.F. (119) 1
Huckstorf, B.L., Slocum, G.R., Bain, J.L.W., Reiser, P.M., Sedlak, F.R., Wong-Riley, M.T.T. and Riley, D.A.
Effects of hindlimb unloading on neuromuscular development of neonatal rats (119) 169
Huether, G., see Moll, G.H. (119) 251

Ishii, Y., Nakamura, S. and Osumi, N.
Demarcation of early mammalian cortical development by differential expression of *fringe* genes (119) 307
Izquierdo, I., see Fredriksson, A. (119) 65

Järlebark, L.E., see Nikolic, P. (119) 75
Jarskog, L.F. and Gilmore, J.H.
Developmental expression of Bcl-2 protein in human cortex (119) 225

Jewett, I.T., see Vizzard, M.A. (119) 217

Katayama, S., see Yoshioka, S.-i. (119) 283
Kawahara, R., see Yoshioka, S.-i. (119) 283
Kellogg, C.K., see Roberts, A.A. (119) 21
Kjældgaard, A., see Åkesson, E. (119) 55
Kogan, C.S., Zangenehpour, S. and Chaudhuri, A.
Developmental profiles of SMI-32 immunoreactivity in monkey striate cortex (119) 85
Krunic, N., Adamson, S.L. and Coceani, F.
Differential uptake and catabolism of prostaglandin (PG)E_2 versus $PGF_{2\alpha}$ in the sheep choroid plexus during development (119) 11

Lassalle, B., see Bauduin, B. (119) 47
Leung, M.S., see Wong, C.C. (119) 187
Levenson, C.W. and Fitch, C.A.
Effect of altered thyroid hormone status on rat brain ferritin H and ferritin L mRNA during postnatal development (119) 105
Lin, S. and Burgunder, J.-M.
Utrophin may be a precursor of dystrophin during skeletal muscle development (119) 289
Lin, X. and Chen, S.
Endogenously generated spontaneous spiking activities recorded from postnatal spiral ganglion neurons in vitro (119) 297
Livrea, P., see Nico, B. (119) 231

Madri, J.A., see Ogunshola, O.O. (119) 139
Maeda, K., see Yoshioka, S.-i. (119) 283
Mann, P.E., see Gulledge, C.C. (119) 269
Marzullo, A., see Nico, B. (119) 231
Matsuda, K., see Yoshioka, S.-i. (119) 283
McAlhany Jr., R.E., West, J.R. and Miranda, R.C.
Glial-derived neurotrophic factor (GDNF) prevents ethanol-induced apoptosis and JUN kinase phosphorylation (119) 209
McCarthy, M.M., see Davis, A.M. (119) 127
McDougall, S.A., see Collins, R.L. (119) 97
Medina-Ortiz, W.E. and García-Arrarás, J.E.
Differential regulation of NPY mRNA expression in embryonic sympathetic and chromaffin cultures by NGF (119) 155
Mehnert, C., see Moll, G.H. (119) 251
Ment, L.R., see Ogunshola, O.O. (119) 139
Meyer, D.L., see Pinelli, C. (119) 195

Mihalcik, V., see Ogunshola, O.O. (119) 139
Miranda, R.C., see McAlhany Jr., R.E. (119) 209
Mitani, H., see Yoshioka, S.-i. (119) 283
Mizukawa, R., see Yoshioka, S.-i. (119) 283
Molander, C., see Shortland, P. (119) 243
Moll, G.H., Mehnert, C., Wicker, M., Bock, N., Rothenberger, A., Rüther, E. and Huether, G.
Age-associated changes in the densities of presynaptic monoamine transporters in different regions of the rat brain from early juvenile life to late adulthood (119) 251
Moran, T.H., see Pletnikov, M.V. (119) 179

Nakamura, S., see Ishii, Y. (119) 307
Nazarian, A., see Collins, R.L. (119) 97
Nico, B., Quondamatteo, F., Herken, R., Blumchen, T., Defazio, G., Giorelli, M., Livrea, P., Marzullo, A., Russo, G., Ribatti, D. and Roncali, L.
Interferon β-1a prevents the effects of lipopolysaccharide on embryonic brain microvessels (119) 231
Nikolic, P., Järlebark, L.E., Billett, T.E. and Thorne, P.R.
Apoptosis in the developing rat cochlea and its related structures (119) 75

Ogunshola, O.O., Stewart, W.B., Mihalcik, V., Solli, T., Madri, J.A. and Ment, L.R.
Neuronal VEGF expression correlates with angiogenesis in postnatal developing rat brain (119) 139
Osumi, N., see Ishii, Y. (119) 307

Penschuck, S., see Davis, A.M. (119) 127
Pinelli, C., D'Aniello, B., Sordino, P., Meyer, D.L., Fiorentino, M. and Rastogi, R.K.
Comparative immunocytochemical study of FMRFamide neuronal system in the brain of *Danio rerio* and *Acipenser ruthenus* during development (119) 195
Pletnikov, M.V., Rubin, S.A., Schwartz, G.J., Carbone, K.M. and Moran, T.H.
Effects of neonatal rat Borna disease virus (BDV) infection on the postnatal development of the brain monoaminergic systems (119) 179
Poon, W.H., see Wong, C.C. (119) 187
Prime, G., Horn, G. and Sutor, B.
Time-related changes in connexin mRNA abundance in the rat neocortex during postnatal development (119) 111

Quondamatteo, F., see Nico, B. (119) 231

Rastogi, R.K., see Pinelli, C. (119) 195
Reiser, P.M., see Huckstorf, B.L. (119) 169
Ribatti, D., see Nico, B. (119) 231
Riley, D.A., see Huckstorf, B.L. (119) 169
Rizzolo, L.J., see Ban, Y. (119) 259
Roberts, A.A. and Kellogg, C.K.
Synchronous postnatal increase in α1 and γ2L $GABA_A$ receptor mRNAs and high affinity zolpidem binding across three regions of rat brain (119) 21
Roncali, L., see Nico, B. (119) 231
Rothenberger, A., see Moll, G.H. (119) 251
Rubin, S.A., see Pletnikov, M.V. (119) 179
Russo, G., see Nico, B. (119) 231
Rüther, E., see Moll, G.H. (119) 251

Samuelsson, E.-B., see Åkesson, E. (119) 55
Sari, Y., see Zhou, F.C. (119) 33
Schäfer, B.W., see Tiu, S.C. (119) 159
Schröder, N., see Fredriksson, A. (119) 65
Schwartz, G.J., see Pletnikov, M.V. (119) 179
Sedlak, F.R., see Huckstorf, B.L. (119) 169
Seiger, Å., see Åkesson, E. (119) 55
Shortland, P. and Molander, C.
Alterations in the distribution of stimulus-evoked c-*fos* in the spinal cord after neonatal peripheral nerve injury in the rat (119) 243
Shu, S.Y., see Tiu, S.C. (119) 159
Slocum, G.R., see Huckstorf, B.L. (119) 169
Solli, T., see Ogunshola, O.O. (119) 139
Sordino, P., see Pinelli, C. (119) 195
Stewart, W.B., see Ogunshola, O.O. (119) 139
Sundström, E., see Åkesson, E. (119) 55
Sutor, B., see Prime, G. (119) 111

Takeo, S., see Yoshioka, S.-i. (119) 283
Thorne, P.R., see Nikolic, P. (119) 75
Tiu, S.C., Chan, W.Y., Heizmann, C.W., Schäfer, B.W., Shu, S.Y. and Yew, D.T.
Differential expression of S100B and $S100A6^1$ in the human fetal and aged cerebral cortex (119) 159
Tsim, T.Y., see Wong, C.C. (119) 187

Vizzard, M.A., Wu, K.H. and Jewett, I.T.
Developmental expression of urinary bladder neurotrophic factor mRNA and protein in the neonatal rat (119) 217

West, J.R., see McAlhany Jr., R.E. (119) 209
Wicker, M., see Moll, G.H. (119) 251
Wilt, S.D., see Ban, Y. (119) 259
Wong, C.C., Poon, W.H., Tsim, T.Y., Wong, E.Y.K. and Leung, M.S.
Gene expressions during the development and sexual differentiation of the olfactory bulb in rats (119) 187
Wong, E.Y.K., see Wong, C.C. (119) 187
Wong-Riley, M.T.T., see Huckstorf, B.L. (119) 169
Wu, K.H., see Vizzard, M.A. (119) 217

Yew, D.T., see Tiu, S.C. (119) 159
Yoshioka, S.-i., Mitani, H., Maeda, K., Takeo, S., Matsuda, K., Katayama, S., Mizukawa, R. and Kawahara, R.
Age-specific effects of noradrenergic alpha-2 agonist clonidine on the development of amygdaloid kindling in developing rats (119) 283

Zangenehpour, S., see Kogan, C.S. (119) 85
Zavala, A.R., see Collins, R.L. (119) 97
Zhang, J.K., see Zhou, F.C. (119) 33
Zhou, F.C., Sari, Y. and Zhang, J.K.
Expression of serotonin transporter protein in developing rat brain (119) 33